



IDC INTERNATIONAL DESIGN CONSULTANCY COMPANY

CATALOG

Contact

- Mrs. Annie:

Email: annie@idc-bim.com

Phone: +84 90 386 22 44

- Ms. Vy:

Email: sales@idc-bim.com

Phone: +84 937 118 523

150 Nguyen Hoang Street, An Phu Ward, Thu Duc
City, Ho Chi Minh City, Vietnam

<https://idc-bim.com/>



ABOUT COMPANY

IDC INTERNATIONAL DESIGN CONSULTANCY COMPANY LIMITED is a registered Vietnam company located in Ho Chi Minh City.

IDC has a large network of local suppliers for the construction industry as well as producers of general products and consumables. Production is available to international standards and in bulk order for shipping to all corners of the world.

We collaborate with international affiliates located in Australia, Hong Kong, Singapore, Japan, Korea, Bangladesh, Canada, the UK, Germany, and Africa.

We seek the best product at the most competitive rate for our customers and ensure quality service through each transaction

TABLE OF CONTENTS

1 COFFEE

2 COCONUT WATER

3 LATEX EXAMINATION
POWDER FREE GLOVES

4 LATEX EXAMINATION
POWDERED GLOVES

5 LATEX SURGICAL
POWDER FREE GLOVES

6 NITRILE EXAMINATION
POWDER FREE GLOVES

7 LATEX SURGICAL
POWDERED GLOVES

8 NITRILE EXAMINATION
POWDER FREE GLOVES

9 FURNITURE

10 WOOD PELLET

11 RICE

12 STEEL

COFFEE

SixCoffee

Metal removal

Eliminate carcinogens

No intoxication, no cardiac compression



Dragon shape

Coffee with ingredients:
20% fruit check, 30% moka,
10% catimor, 30% loris,
10% arabica

Unicorn shape


Coffee with ingredients:
60% fruit syrup, 10% moka,
10% catimor, 10% loris,
10% arabica



COFFEE

The NGUYEN Coffee

Western taste: 100% Arabica or a blend of Arabica and Robusta coffee roasted to a light color for an enticing aroma, bitter and slightly.



Strong taste: Robusta coffee roasted to a dark color for a strong bitter taste.



Light taste: Robusta coffee roasted to a light color for a slightly bitter and sour taste.



COCONUT WATER



1/ RENSOCOCONUT MILK

- 1/ COCONUT MILK
- 2/ NƯỚC CỐT DỪA
- 3/ LAIT DE COCO
- 4/ 椰奶

- 5/ Quantity/ case: 24 cans
- 6/ Net weight: 400 mL/ can
- 7/ Order code: RCO-03
- 8/ Barcode



3/ RENSOCOCONUT WATER 500 ML

- 1/ COCONUT WATER
- 2/ NƯỚC DỪA TƯƠI
- 3/ JUS DE COCO
- 4/ 椰子水

- 5/ Quantity/ case: 12 bottles
- 6/ Net weight: 500 mL/ bottle
- 7/ Order code: RCO-02
- 8/ Barcode



2/ RENSOCOCONUT CREAM

- 1/ COCONUT CREAM
- 2/ NƯỚC CỐT DỪA ĐẶC ĐẶC
- 3/ LAIT DE COCO
- 4/ 椰浆

- 5/ Quantity/ case: 24 cans
- 6/ Net weight: 400 mL/ can
- 7/ Order code: RCO-04
- 8/ Barcode



4/ RENSOCOCONUT WATER 1L

- 1/ COCONUT WATER
- 2/ NƯỚC DỪA TƯƠI
- 3/ JUS DE COCO
- 4/ 椰子水

- 5/ Quantity/ case: 12 bottles
- 6/ Net weight: 1L/ bottle
- 7/ Order code: RCO-01
- 8/ Barcode



LATEX GLOVES

Latex Examination Powder free gloves

1. Product type: Latex Examination Powder Free Gloves
2. Product model: LPF 5.8
3. Material: Natural Rubber
4. Brand: N/A
5. Type: Non Sterilized
6. Glove design and Features: Ambidextrous, Single use, Powder Free, Natural color, Fingertip textured
7. Usage: For Single Use Only



APPLICATION:

- Medical: Hospital, Clinic, Dental Clinic, Laboratory, Beauty Care Center, Skin Care
- Food processing, Dairy production, FMCG
- Seafood Processing Industry, Agriculture, Veterinary Care, Animal and Plant
- Quarantine Station
- Manufacturing Industry: Cosmetics, Pharmaceuticals...
-



LATEX GLOVES

Latex Examination Powder free gloves

Dimensions:

Product code	Glove size	Palm Width (mm)	Length (mm)	Weight (+/-0.2 gr)
HTC.LPF5.8.XS	XS	Max 80mm	Max 280	4.8
HTC.LPF5.8.S	S	80 +/- 10	Min 280	5.3
HTC.LPF5.8.M	M	95 +/- 10	Min 280	5.8
HTC.LPF5.8.L	L	110 +/- 10	Min 280	6.3
HTC.LPF5.8.XL	XL	Min 110	Min 280	6.8

Thickness:

Location	Single Wall (mm)
Cuff (at 25mm from the cuff end)	Min 0.08
Palm center	Min 0.09
Finger tip	Min 0.11

Tensile:

Force at break before aging	Min 9.0 N*
Force at break after aging	Min 6.0 N*

Powder content: Max 2mg/glove

Protein content: Max 200µg/dm²

Inspection Criteria (Sampling and Inspection ISO2859)

	Inspection Level	AQL
Critical Defects	G1	0.65
Pinhole Test	G1	2.5
Major Defects	G1	4.0
Minor Defects	G1	4.0
Dimensions	S2	4.0
Physical Properties	S2	4.0

Shelf-life: Three (03) years from the manufacturing date

* Measurement Method base on ISO 37

LATEX GLOVES

Latex Examination Powdered gloves

1. Product type: Latex Examination Powdered Gloves
2. Product model: LPP 5.0
3. Material: Natural Rubber
4. Brand: N/A
5. Type: Non Sterilized
6. Glove design and Features: Ambidextrous, Single use, Powder Free, Natural color, Fingertip textured
7. Usage: For Single Use Only



APPLICATION:

- Medical: Hospital, Clinic, Dental Clinic, Laboratory, Beauty Care Center, Skin Care
- Food processing, Dairy production, FMCG
- Seafood Processing Industry, Agriculture, Veterinary Care, Animal and Plant
- Quarantine Station
- Manufacturing Industry: Cosmetics, Pharmaceuticals...
-



LATEX GLOVES

Latex Examination Powdered gloves

Dimensions:

Product code	Glove size	Palm Width (mm)	Length (mm)	Weight (+/-0.3gr)
HTC.LPP.XS	XS	Max 80mm	Min 220	4.0
HTC.LPP.S	S	80 +/- 10	Min 220	4.5
HTC.LPP.M	M	95 +/- 10	Min 230	5.0
HTC.LPP.L	L	110 +/- 10	Min 230	5.5
HTC.LPP.XL	XL	Min 110	Min 230	6.0

Thickness:

Location	Single Wall (mm)
Cuff (at 25mm from the cuff end)	Min 0.08
Palm center	Min 0.09
Finger tip	Min 0.10

Tensile:

Force at break before aging	Min 7.0 N*
Force at break after aging	Min 6.0 N*
Elongation before aging	Min 650%
Elongation after aging	Min 500%

Powder content: Max 10mg/dm²

Protein content: Max 200µg/dm²

Inspection Criteria (Sampling and Inspection ISO 2859 -1)

Criteria	Inspection Level	AQL
Critical Defects	G1	1.0
Watertight Test	G1	2.5
Major Defects	G1	2.5
Minor Defects	G1	4.0
Dimensions	S2	4.0
Physical Properties	S2	4.0

Shelf-life: Three (03) years from the manufacturing date

* Measurement Method base on ISO 37

LATEX GLOVES

Latex Surgical Powder-Free Gloves

1. Product Name: Non-Sterile Latex Surgical Powder-Free Gloves
2. Product Family: Non-Sterile Latex Surgical Gloves
3. Product Model: HTC. SPF
4. Material: Natural Rubber
5. Type: Non-Sterile
6. Glove design and Features: Hand-Specification, Single use, Powder Free, Natural color, curved finger, finger textured
7. Usage: For Single Use Only



APPLICATION:

- Medical: Hospital, Clinic, Dental Clinic, Laboratory, Beauty Care Center, Skin Care
- Food processing, Dairy production, FMCG
- Seafood Processing Industry, Agriculture, Veterinary Care, Animal and Plant
- Quarantine Station
- Manufacturing Industry: Cosmetics, Pharmaceuticals...



LATEX GLOVES

Latex Surgical Powder-Free Gloves

Dimensions:

Product Code	Glove size	Palm Width (mm)	Length (mm)	Weight (+/-0.3gr) per piece
HTC.SPF18.6.0	6.0	77 ± 5	Min 260	7.5
HTC.SPF18.6.5	6.5	83 ± 5	Min 260	8.0
HTC.SPF18.7.0	7.0	89 ± 5	Min 270	8.5
HTC.SPF18.7.5	7.5	95 ± 5	Min 270	9.0
HTC.SPF18.8.0	8.0	102 ± 6	Min 270	9.5

Thickness:

Location	Single Wall (mm)
Cuff (at 25mm from the cuff end)	Min 0.10
Palm center	Min 0.10
Fingertip	Min 0.13

Tensile:

Tensile strength before aging	Min 12.5 N *
Tensile strength after aging	Min 9.5 N *
Elongation before aging	Min 700%
Elongation after aging	Min 550%

Powder content: Max 2mg/glove

Protein content: Max 200µg/dm²

Inspection Criteria (Sampling and Inspection ISO 2859 -1)

Criteria	Inspection Level	AQL
Critical Defects	G1	0.65
Pinhole	G1	1.5
Major Defects	G1	4.0
Minor Defects	G1	4.0
Dimensions	S2	4.0
Physical Properties	S2	4.0

Shelf-life: Three (03) years from the manufacturing date

* Measurement Method base on ISO 37

LATEX GLOVES

Latex Surgical Powdered Gloves

1. Product Name: Non-Sterile Latex Surgical Powdered Gloves
2. Product Family: Non-Sterile Latex Surgical Gloves
3. Product Model: HTC. SPP
4. Material: Natural Rubber
5. Type: Non-Sterile
6. Glove design and Features: Hand-Specification, Single use, Powder Free, Natural color, curved finger, finger textured
7. Usage: For Single Use Only



HTC GLOVES BEST SOLUTION FOR YOUR SAFETY	HTC GLOVES JSC	Doc#: FM 24 15
	LATEX SURGICAL GLOVE IFU	Version: 02
		Eff Date: 04/05/2023
		Issue Date: 25/04/2023

PRODUCT MODEL:
HTC.SSPP | HTC.SSPF
Available Size:
6.0 | 6.5 | 7.0 | 7.5 | 8.0

Product's description: Latex Surgical Gloves (Sterile)

A) EU MEDICAL DEVICE REGULATORY (MDR 2017/745):

1) This product is classified under class IIa Medical Device per Rule 6 of Annex IX, meets the provisions of Medical Device Regulatory 2017/745
2) This product complies with European Standards EN455-1:2020, EN455-2:2015, EN455-3:2015, EN455-4:2009.

B) INDICATION FOR USE (IFU):

Sterile Latex Surgical Gloves are intended to be used once in an invasive procedure involving a single patient and permanently discarded after use. These gloves are worn on the hands of healthcare personnel to provide barrier protection from cross contamination between a patient and the healthcare personnel.

C) USAGE

For single use only.

The gloves were made from natural latex which can cause allergic reactions for some individuals. If an allergic reaction occurs, seek medical advice immediately.

D) CONTRA-INDICATIONS

Healthcare personnel and patients with known allergies to chemical and latex protein should avoid contact with latex gloves.

E) WARNINGS

- 1) This product contains natural latex which may cause allergic reactions, including anaphylactic responses.
- 2) Do not use if sealed pouch is punctured, torn, or otherwise compromised.
- 3) Do not use if the glove is visibly torn frayed or damaged.
- 4) Do not re-sterilize.
- 5) Do not use for more than 60 minutes to reduce the risk of strain/fatigue on hands and loss of barrier protection.

F) STORAGE CONDITIONS

Store under cool and dry conditions. Avoid direct sunlight and heat. The gloves are packaged in a dispenser which is suitable for transport. Keep the gloves in the box when not in use.

G) INSTRUCTION FOR USE

- 1) For maximum comfort, choose the gloves size most appropriate to your hands. As surgical gloves are hand-specific, donning the correct size will reduce the risk of strain/fatigue on hands during use.
- 2) Donning: - Prior to donning, perform surgical hand scrub using antimicrobial solution and water.
 - a. when donning, follow 'closed donning' method as described below.
- 3) Dispose the soiled gloves and change to the new gloves immediately if:
 - a. As soon as any damage, puncture or tear (or non-integrity is suspected) is noticed.
 - b. After inadvertent contact with contaminated/sterile surface.
- 4) In order to reduce the risk of barrier failure and to ensure better protection during surgical procedures which extend beyond 60 minutes, users are advised to change the gloves on hourly basis.




















H) PRECAUTION FOR DISPOSAL

Dispose of soiled surgical gloves in accordance with relevant regulations pertaining to safe disposal of clinical waste.

I) CLOSED DONNING METHOD

Step 1: Remove the inner wrap from the pouch carefully without creasing the inner wrap. **Step 2:** Gently lift the right and left side of the inner wrap. **Step 3:** Un-flap the inner wraps from the corner. **Donning right-side:** **Step 4:** Use your left hand to pick the right-side of the gloves by holding the cuff. **Step 5:** Gently slip your fingertips into the gloves, stretch the cuff over the fingers until it fits snugly over the hand. **Donning left-side:** **Step 6:** Use your right hand to pick the left-side of the glove with the cuff. **Step 7:** Gently slip your fingertips into the glove, stretch the cuff over the fingers until it fits snugly over the hand.

J) SYMBOL USED

									
Manufacturer	Date of Manufacture	Authorized representative European Union	CE Mark Symbol	Use by Date/Expiry Date	Lot number	Do not use if package is damaged and consult instructions for use	Medical Device	Single sterile barrier system with protective packaging inside	Do not re-sterilize
									
Keep Dry	Do not Re-use	Unique Device Identifier	Storage Temperature	EiO Sterile symbol	Contains presence of Natural Rubber Latex	Keep away from Sunlight	Electric instruction for use	Non-powder	

K) SHELF LIFE

03 (Three) years from manufacturing date.

LATEX GLOVES

Latex Surgical Powdered Gloves

Dimensions:

Product Code	Glove size	Palm Width (mm)	Length (mm)	Weight (+/-0.3gr) per piece
HTC.SPF18.6.0	6.0	77 ± 5	Min 260	7.5
HTC.SPF18.6.5	6.5	83 ± 5	Min 260	8.0
HTC.SPF18.7.0	7.0	89 ± 5	Min 270	8.5
HTC.SPF18.7.5	7.5	95 ± 5	Min 270	9.0
HTC.SPF18.8.0	8.0	102 ± 6	Min 270	9.5

Thickness:

Location	Single Wall (mm)
Cuff (at 25mm from the cuff end)	Min 0.10
Palm center	Min 0.10
Fingertip	Min 0.13

Tensile:

Tensile strength before aging	Min 12.5 N *
Tensile strength after aging	Min 9.5 N *
Elongation before aging	Min 700%
Elongation after aging	Min 550%

Powder content: Max 10mg/dm²

Protein content: Max 200µg/dm²

Inspection Criteria (Sampling and Inspection ISO 2859 -1)

Criteria	Inspection Level	AQL
Critical Defects	G1	0.65
Pinhole	G1	1.5
Major Defects	G1	4.0
Minor Defects	G1	4.0
Dimensions	S2	4.0
Physical Properties	S2	4.0

Shelf-life: Three (03) years from the manufacturing date

* Measurement Method base on ISO 37

LATEX GLOVES



LATEX GLOVES



NITRILE GLOVES

Nitrile Examination Powder free gloves

1. Product type: Nitrile Examination Powder Free Gloves
2. Product model: NPF 5.8
3. Material: Nitrile-Butadiene Rubber (Nitrile)
4. Brand: N/A
5. Type: Non Sterilized
6. Glove design and Features: Ambidextrous, Single use, Powder Free, Violet Blue color, Fingertip textured
7. Usage: For Single Use Only



APPLICATION:

- Popular applications in medical examination and treatment, beauty care.
- Used in assembling electronic components or in the laboratory



NITRILE GLOVES



FURNITURE

We remain loyal to our mission of bringing the value of "Budget - PRACTICAL - BEAUTIFUL" to customers.

Impressive design lines, simple yet sophisticated.



FURNITURE

“Managing every detail from concept to install, we offer 5-star service for your living environment.”



THE TRADITION

This collection is inspired by the masterpieces that made Italy known across the world, with a formidable reputation built over many decades of rising to the top of the furniture world.

We decisively add a playful and decorative flair to some of the most traditional designs to allow a wider audience to appreciate the rigorous lines of the most respected design styles, such as Baroque, Rococo and major decors by the Italian school of masters such as Maggiolini.

Casegoods, components and accessories are entirely produced at our factories, including processes such as lost wax casting, mother-of-pearl and brass inlays, classical upholstery and the most traditional handmade woodcarving.



THE NEW AGE

Our collections appeal to an increasingly wide audience across gender and age and We are introducing its NEW AGE range of furniture, where our respect for the classical tradition meets a more innovative approach to design.

NEW AGE is the answer to the demand by sophisticated connoisseurs for contemporary luxury with an exclusive Italian touch of elegance and class.

From Art Deco to modern pieces inspired by fashion, world crafts and innovative use of traditional techniques, We offer a unique line of furnishings to enhance the contemporary interiors by balancing tradition and innovation.



DINING SET



HARPER SET

Chất liệu : Gỗ tần bì
 Kích thước :
 • Bàn ăn : W167 x D91 x H76 (cm)
 • Ghế ăn : W52 x D49 x H87 (cm)

Màu sắc / Color 



CHANNEL SET

Chất liệu : Gỗ cao su
 Kích thước :
 • Bàn ăn : W167 x D91 x H76 (cm)
 • Ghế ăn : W52 x D49 x H87 (cm)

Màu sắc / Color 



RIDEL SET

Chất liệu : Gỗ tần bì
 Kích thước :
 • Bàn ăn : W140 x D30 x H80 (cm)
 • Ghế ăn : W60 x D65 x H85 (cm)

Màu sắc / Color 



WALE SET

Chất liệu : Gỗ tần bì
 Kích thước :
 • Bàn ăn : W200 x D110 x H75 (cm)
 • Ghế ăn : W57 x D45 x H101 (cm)

Màu sắc / Color 

DINING SET



EMIA SET

Chất liệu : Gỗ sồi
 Kích thước :
 • Bàn ăn : W130 x D130 x H75 (cm)
 • Ghế ăn : W57 x D45 x H101 (cm)

Màu sắc / Color 



SALA SET

Chất liệu : Gỗ sồi
 Kích thước :
 • Bàn ăn : W130 x D130 x H75 (cm)
 • Ghế ăn : W57 x D45 x H101 (cm)

Màu sắc / Color 



VENIS SET

Chất liệu : Gỗ tần bì
 Kích thước :
 • Bàn ăn : W220 x D220 x H100 (cm)
 • Ghế ăn : W52 x D46 x H89 (cm)

Màu sắc / Color 



GALE SET

Chất liệu : Gỗ tần bì
 Kích thước :
 • Bàn ăn : W200 x D110 x H75 (cm)
 • Ghế ăn : W57 x D45 x H101 (cm)

Màu sắc / Color 

LIVING TABLE



BÀN SOFA OVAN

Chất liệu : Gỗ sồi
Kích thước :
W160 x D54 x H41 (cm)

Màu sắc / Color 



BÀN SOFA CIARA

Chất liệu : Gỗ sồi
Kích thước :
W75 x D75 x H45 (cm)

Màu sắc / Color 



BÀN SOFA TAN

Chất liệu : Gỗ tần bì
Kích thước :
W105 x D60 x H45 (cm)

Màu sắc / Color 



BÀN SOFA EUDORA

Chất liệu : Gỗ sồi
Kích thước :
W140 x D60 x H40 (cm)

Màu sắc / Color 

LIVING TABLE



BÀN SOFA BERNICE

Chất liệu : Gỗ sồi
Kích thước :
W140 x D60 x H40 (cm)

Màu sắc / Color 



BÀN SOFA GIANNA

Chất liệu : Gỗ sồi
Kích thước :
W75 x D75 x H45 (cm)

Màu sắc / Color 



BÀN SOFA TOBI

Chất liệu : Gỗ sồi
Kích thước :
W103 x D63 x H40 (cm)

Màu sắc / Color 



BÀN SOFA EUDORA

Chất liệu : Gỗ sồi
Kích thước :
W140 x D60 x H40 (cm)

Màu sắc / Color 

BOOKSHELVE



TỦ NGĂN KÉO ARDELLE

Chất liệu : Gỗ sồi
Kích thước :
W140 x D46 x H76 (cm)

Màu sắc / Color 



TỦ NGĂN KÉO LEDGER

Chất liệu : Gỗ sồi
Kích thước :
W120 x D50 x H94 (cm)

Màu sắc / Color 



TỦ NGĂN KÉO FRANKLIN

Chất liệu : Gỗ thông giả cổ
Kích thước :
W90 x D40 x H75 (cm)

Màu sắc / Color 



TỦ NGĂN KÉO FRANKLIN

Chất liệu : Gỗ thông giả cổ
Kích thước :
W134 x D40 x H75 (cm)

Màu sắc / Color 

BOOKSHELVE



TỦ KÍNH TRƯNG BÀY

Chất liệu : Gỗ sồi
Kích thước :
W100 x D40 x H200 (cm)

Màu sắc / Color 



TỦ KÍNH ĐA NĂNG

Chất liệu : Gỗ sồi
Kích thước :
W87 x D34 x H178 (cm)

Màu sắc / Color 



KỆ SÁCH KEPER

Chất liệu : Gỗ sồi
Kích thước :
W90 x D38 x H190 (cm)

Màu sắc / Color 



KỆ SÁCH 4 TẦNG

Chất liệu : Gỗ sồi
Kích thước :
W100 x D40 x H200 (cm)

Màu sắc / Color 

WOOD PELLET



On analysis of the sample, the following results as lab report no. QML15-00881 R0 were obtained:


Test parameters	Test methods	Result
Total moisture (AR)	EN14774-2:2009	7.62 %
Ash (DB)	EN14775:2009	1.71 %
Sulfur (DB)	EN15289:2011	0.033 %
Gross calorific value (DB)	EN14918:2009	4553 kcal/kg
		19.06 MJ/kg
Net calorific value(DB)	EN14918:2009	4249 Kcal/kg
		17.79 MJ/kg
Hydrogen (DB)	EN 15104:2011	6.18 %
Diameter	prEN 16127:2012	8.57 mm
Average Length of Pellets	prEN 16127:2012	28.68 mm
Bulk density (AR)	EN15103:2009	731 kg/m ³

REMARK:

1. The results are shown in this document refer only to the sample(s) received and tested and not intended to be representative of any lot, cargo or shipment.
2. This document cannot be reproduced except in full, without prior approval of the Company.

Ho Chi Minh City, Date: 19 March, 2015.

SGS VIETNAM LTD



Page 1 of 1

10

* This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com, and its conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Tran Thi Thu Trang



RICE

ST25 RICE

- Broken: 5% max
- Moisture: 14.5% max
- Yellow kernel: 0.3%
- Paddy: 2 grains/kg max
- Chalky kernels: (3/4 basis) 3% max
- Immature kernel: 1.0% max
- Red/Red Streak Kernels: 0.3% max
- Milling Degree Well Milled & Double Polished & Sortexed
- Average Grain Length: 7.2
- Purity: 90% min
- Crop: New crop



WHITE RICE

- Broken: 5%; 10%; 15%; 25%; 100%

Quantity:

- Minimum: 1x20' CL/shipment

Packaging:

- 50 kg PP white
- Bulk in container

Delivery:

- Shipment can be arranged within 7 working days after deal is concluded (subject to vessel availability)

Payment:

- L/C at sight
- T/T prior to shipment

Shipping: 15-35 days

Mini Order: 50 MT



JAPONICA ROUND RICE/ SUSHI RICE

- Broken: 5% max
- Moisture: 14% Max
- Chalky kernels: 3.0% Max
- Foreign matter: 0.1% Max
- Yellow kernels: 0.5% Max
- Damaged kernel: 0.5% Max
- Red and streaked kernels: 0.5% Max
- Paddy per kg: 2.0 grain maximum
- Average length of grain: 5.0mm min
- Milling degree: well milled & double polished
- Insect: Nil after fumigation
- Rodents: No presence even particles of rodents
- Crop: New crop



BLACK RICE

- Broken: 5%; 10%; 15%; 25%; 100%
- Moisture: 15.5% Max
- Foreign matter: 0.1% Max
- Damaged kernel: 0.5% Max
- Paddy per kg: 2.0 grain maximum
- Average length of grain: 7.2mm min
- Crop: New crop



RICE



STEEL

Minimum order size will apply to each steel type, please contact **IDC** for details

Fabricated steel for construction is available



STEEL

Minimum order size will apply to each steel type, please contact **IDC** for details

Fabricated steel for construction is available





CONTACT



+84 903 86 22 44

+84 937 118 523



annie@idc-bim.com

sales@idc-bim.com



www.idc-bim.com



150 Nguyen Hoang Street, An Phu Ward,
Thu Duc City, Ho Chi Minh City, Vietnam

